

INCH-POUND

MIL-DTL-3943/299B
12 July 2016
SUPERSEDING
MIL-DTL-3943/299A
15 August 2007

DETAIL SPECIFICATION SHEET

DECORATION, NEWTON-AZRAK MEDAL FOR HEROISM,
U.S. BORDER PATROL

This specification is approved for use by all
Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this
specification sheet and the latest issue of MIL-DTL-3943.



OBVERSE



REVERSE DESIGN

DASH NO.

- 1: Regular Size
- 2: Miniature Size

MATERIAL: Red Brass 85/15 (UNS Alloy No. C-230)

FINISH: Gold Plated, Light Rose Gold Plated, Matte Finished, Polished Highlights and shall
match The Institute of Heraldry (TIOH) Metal Finish Chip Number 20.

DIMENSIONS:

- HEIGHT (Including eagle):
- 1: 1-13/16 inches (REF)
 - 2: 29/32 inches (REF)

WIDTH:

- 1: 1-9/16 inch
- 2: 25/32 inch

THICKNESS (At thickest point on faces):

- 1: 0.130 ± 0.010 inch
- 2: 0.096 ± 0.010 inch

DECORATION SET: Decoration set shall consist of a regular size medal, a miniature size medal, a lapel button, and a service ribbon with ribbon attachment, all packaged in a presentation case conforming to MIL-C-14633, Type XV, Style 6, with a Class 1 or 1A pad.

NOTES:

1. The term (REF) refers to the measurements taken from the Government furnished hub or die.
2. The specification slash sheet for the ribbon for the pendant drape and for the service ribbon is MIL-DTL-11589/544
3. The specification slash sheet for the lapel button is MIL-DTL-11484/280.
4. The specification slash sheet for the ribbon attachment is MIL-DTL-41819/45.

CHANGES FROM PREVIOUS ISSUE: Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodian:
Army - IH

Preparing activity:
Army - IH

Review activity:
DLA - CT

(Project No. 8455-2016-675)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.

INCH - POUND

MIL-DTL-11484/280A
21 April 2016
SUPERSEDING
MIL-DTL-11484/280
25 April 2002

DETAIL SPECIFICATION SHEET

LAPEL BUTTON, NEWTON-AZARK MEDAL FOR HEROISM, U.S. BORDER PATROL

This specification is approved for use by all
Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and the latest issue of MIL-DTL-11484.



MATERIAL: Red Brass 85/15 (UNS Alloy No. C-230)

FINISH: 24k Gold Plated, Matte Finished, Polished Highlights and shall match The Institute of Heraldry Metal Finish Chip Number 8.

DIMENSION:

HEIGHT: 29/32 inch (REF)

WIDTH: 25/32 inch (REF)

THICKNESS (At thickest point): 0.096 inch \pm 0.010 inch

ATTACHING DEVICE:

1. Attaching device shall be prong with pick and flat ball type clutch
2. The prong shall be centered on the reverse side and fused or soldered to the lapel button.

NOTE:

The term (REF) refers to the measurements taken from the obverse Government furnished hub or die.

CHANGES FROM PREVIOUS ISSUE: Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodian:
Army - IH

Preparing activity:
Army - IH

Review activity:
DLA - CT

(Project No. 8455-2016-436)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.

INCH-POUND

MIL-DTL-41819/45A
12 May 2016
SUPERSEDING
MIL-DTL-41819/45
25 April 2002

DETAIL SPECIFICATION SHEET

RIBBON ATTACHMENT, NEWTON-AZRAK MEDAL FOR HEROISM, U.S. BORDER PATROL

This specification is approved for use by all
Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this
specification sheet and the issue of MIL-DTL-41819.



MATERIAL: Red Brass 85/15 (UNS Alloy No. C-230)

FINISH: 24K Gold Plated, Matte Finish, Polished Highlights and shall match The Institute of Heraldry Metal Finish Chip Number 8.

DIMENSIONS:

WIDTH (Overall): 3/8 inch (REF)

THICKNESS: 0.055 inch \pm 0.010 inch

ATTACHING DEVICE:

Attaching device shall be 2 prongs located on the reverse side of the ribbon attachment, 1/32 inch from each end.

NOTES:

The term (REF) refers to the measurements taken from the Government furnished hub or die.

CHANGES FROM PREVIOUS ISSUE: Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodian:
Army - IH

Preparing activity:
Army - IH

Review activity:
DLA - CT

(Project No. 8455-2016-448)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.

MIL-DTL-11589/544B
 12 May 2016
 SUPERSEDING
 MIL-DTL-11589/544A
 25 April 2002

DETAIL SPECIFICATION SHEET

RIBBON, NEWTON-AZRAK MEDAL FOR HEROISM, U.S. BORDER PATROL

This specification is approved for use by all
 Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet
 and the issue of MIL-DTL-11589.

COLOR PATTERN: REGULAR SIZE

FINISH: MOIRE

TOTAL WIDTH	WIDTH OF STRIPES INCHES & METRIC		FUNCTION OF STRIPES	COLOR & CABLE NUMBER			FILLING YARN
				STRIPES			
1-3/8" (35.0 mm)	1/32	0.8 mm	Edge & Binder	Green	HAD	67129	White HA 67101
	1/16	1.6 mm	Ground	Green	HAD	67129	
	1/32	0.8 mm	Ground	Gold	HF	67106	
	1-1/8	28.6 mm	Ground	Bluebird	HR	67117	
	1/32	0.8 mm	Ground	Gold	HF	67106	
	1/16	1.6 mm	Ground	Green	HAD	67129	
	1/32	0.8 mm	Ground	Green	HAD	67129	
	1/32	0.8 mm	Edge & Binder	Green	HAD	67129	

COLOR PATTERN: MINIATURE SIZE

FINISH: MOIRE

TOTAL WIDTH	WIDTH OF STRIPES INCHES & METRIC		FUNCTION OF STRIPES	COLOR & CABLE NUMBER			FILLING YARN
				STRIPES			
11/16" (17.5 mm)	1/32	0.8 mm	Edge & Binder	Green	HAD	67129	White HA 67101
	1/64	0.4 mm	Ground	Green	HAD	67129	
	1/64	0.4 mm	Ground	Gold	HF	67106	
	9/16	14.3 mm	Ground	Bluebird	HR	67117	
	1/64	0.4 mm	Ground	Gold	HF	67106	
	1/64	0.4 mm	Ground	Green	HAD	67129	
	1/64	0.4 mm	Ground	Green	HAD	67129	
	1/32	0.8 mm	Edge & Binder	Green	HAD	67129	

CHANGES FROM PREVIOUS ISSUE: Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodian:
 Army - IH

Preparing activity:
 Army - IH

Review activity:
 DLA - CT

(Project No. 8455-2016-442)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dia.mil>.